

STOVAX

Fire Your Imagination



Stove and fireplace cleaning, maintenance and hearth **accessories**



Stovax Stockton 5 stove with Loop Tool set (5525), Curved Log Holder (3400), Leather Gloves (4008) and Flue Pipe Thermometer (3046)

A Warm Welcome...

Stovax is a British company dedicated to the development of high quality stoves, fireplaces, flue systems and associated accessories. Over the past 37 years, Stovax has grown to become one of Europe's largest and most respected stove and fireplace manufacturers, constantly building on a reputation for superior craftsmanship, high quality materials, designer-led aesthetics and technical innovation.



A lifetime of looking good

Stovax stoves and fireplaces have been intrinsically designed to require very little maintenance. However, when there are things to be done, we have an extensive selection of accessories that can make short work of the task.

We also have a range of products available that you may wish to consider alongside your original purchase such as our magnetic flue pipe thermometer and our carbon monoxide detector.



Perfect companions

Throughout these pages, you will discover the widest possible selection of top quality products. Whether it's log holders, fire tool sets or fire screens, our hearth accessories are designed to help you get maximum enjoyment from your fireplace or stove. Whether you have a taste of the contemporary or your décor lies more with the traditional, we have ranges to complement both your fire and your home.



Looking after you and your stove...

A Stovax woodburning or multi-fuel appliance promises years of faithful service, a promise backed up by our extended five year warranty available across all our stoves and fires when purchased from a member of our Expert Retailer Network and registered with Stovax. We take great care to ensure that our stoves and fireplaces are designed, tested and manufactured to the highest possible quality and safety standards, and we are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Our extensive design team and industry leading research and development laboratory ensure that Stovax products are at the very pinnacle of both aesthetic design and fireplace technology; offering one of the largest and most trusted ranges of

environmentally friendly, high efficiency stoves and fires available anywhere in the world. We pursue a programme of continuous product improvement, with our focus always on developing heating products that contribute to a cleaner, healthier environment. In fact, Stovax is ahead of schedule in its compliance with the European Ecodesign Directive.

Whether you own a Stovax appliance or any other brand, it is important that you follow any servicing and general maintenance recommendations carefully to ensure your stove or fire continues to operate effectively and efficiently, indeed in many cases this will form part of your warranty agreement.



Performance with peace of mind

We would always encourage you, where possible, to consider opting for a Stovax high efficiency glass-fronted stove or fire in your home. Whether woodburning or multi-fuel, these appliances offer greatly improved efficiency through state-of-the-art air flow systems and innovative features such as cleanburn and airwash that dramatically reduce emissions, maximise the heat delivery into your room and help keep the window clean so you can always enjoy the flames to the full.

Whatever your fuel type, Stovax offer a wide range of cleaning and maintenance products that have been specifically designed to help keep your product looking and performing at its best.



Stovax View 8

The Stovax accessories range

Cleaning and maintenance	06 - 15
Chimney systems and flue pipe	16 - 19
UltraGlo ceramic fibre 'fuels'	20 - 21
Fire screens and fenders.....	22 - 25
Traditional fire tools, scuttles and pails.....	26
Contemporary fire tools and sets	27
Ironworks and Pilgrim fire tools	28 - 29
Log holders	30 - 31
Fire backs and grates	32 - 34
Classic Fireplaces	35



Cleaning and maintenance products

Stove Paint



Matt Black Metallic Blue Metallic Green Metallic Brown Metallic Black Light Cast Grey Storm Metallic Matt Ivory Anthracite



Product Code	Colour	Qty	Size	Suitable for	Serial Numbers
STOVAX AEROSOL SPRAY PAINT					
2010	Matt Black	1	400ml	Brunel	All
2056-6	Metallic Black	6	400ml	Brunel	All
2010	Matt Black	1	400ml	Huntingdon	All
2055	Matt Ivory	1	150ml	Huntingdon	All
2019-1	Matt Black	1	400ml	Regency	All
2019-6	Matt Black	6	400ml	Regency	All
2019	Matt Black	12	400ml	Regency	All
2019-1	Matt Black	1	400ml	Sheraton	All
2019-6	Matt Black	6	400ml	Sheraton	All
2019	Matt Black	12	400ml	Sheraton	All
2019-1	Matt Black	1	400ml	Stockton	CSTN (or) ASTN 10000 - 29999
2019-6	Matt Black	6	400ml	Stockton	CSTN (or) ASTN 10000 - 29999
2019	Matt Black	12	400ml	Stockton	CSTN (or) ASTN 10000 - 29999
2019BL	Metallic Blue	6	400ml	Stockton	All
2019BR	Metallic Brown	6	400ml	Stockton	All
2019GR	Metallic Green	6	400ml	Stockton	All
2105-1	Matt Black	1	400ml	Stockton	CSTN (or) ASTN 30000 onwards
RVAC011	Metallic Black	1	150ml	View	FVW 10000 - 29999
2000-1	Metallic Black	1	400ml	View	CVW 10000 - 29999
2105-1	Matt Black	1	400ml	View	CVW30001 (or) ASTN30001 onwards
2105-1	Matt Black	1	400ml	Vogue Small & Medium	All
2010	Matt Black	1	400ml	Vogue Midi	Prefixed DVG or CVG 10000 to 29999
2105-1	Matt Black	1	400ml	Vogue Midi	Prefixed DVG or CVG 30000 onwards
RVAC011	Metallic Black	1	150ml	Vision	All
2019-1	Matt Black	1	400ml	Riva Plus	FPR 10000 - 29999
2019-6	Matt Black	6	400ml	Riva Plus	FPR 10000 - 29999
2019	Matt Black	12	400ml	Riva Plus	FPR 10000 - 29999
2105-1	Matt Black	1	400ml	Riva Plus	FPR 30000 onwards
RVAC011	Metallic Black	1	150ml	Riva Cassette & Freestanding	All
RVAC010	Storm Metallic	1	150ml	Riva Cassette & Freestanding	All
RVAC011	Metallic Black	1	150ml	Studio 500, 1, 2 & 3	All
RVAC011	Metallic Black	1	150ml	Elise Cassette & Freestanding	All
2059-6	Matt White	6	400ml	-	-
STOVAX BRUSH ON PAINT					
2057-6	Matt Black	6	200ml	Classic FP	N/A
2067-6	Anthracite	6	400ml	-	-
PAINTIV	Ivory Enamel	1	15ml	Brunel & Huntingdon	All
PAINTLG	Laurel Green Enamel	1	15ml	Brunel & Huntingdon	All
PAINTBL	Midnight Blue Enamel	1	15ml	Brunel & Huntingdon	All

Stove Paint



Product Code	Colour	Qty	Size	Suitable for	Serial Numbers
DOVRE AEROSOL SPRAY PAINT					
DV-LAKTB	Anthracite	1	400ml	Dovre - 225, 525, Vintage & Astroline	All
DV-LAKTBZ	Matt Black	1	400ml	Dovre - 250, 425, 500, 640, 700, 760, Tai & Sense	All
LOTUS AEROSOL SPRAY PAINT					
LT-9750PAINT	Metallic Black	1	400ml	Lotus	All
LT-9755PAINT	Light Cast Grey	1	400ml	Lotus	All
LT-9760APAIN	Ice Metallic	1	400ml	Lotus Living Stoves	All
NORDPEIS AEROSOL SPRAY PAINT					
NP-00001-102	Metallic Black	1	150ml	Nordpeis Uno & Duo Stoves	All
NP-00001-102-400	Metallic Black	1	400ml	Nordpeis Uno & Duo Stoves	All
NP-00001-105	Black	1	150ml	Nordpeis (Excluding Uno & Duo)	All
VARDE AEROSOL SPRAY PAINT					
LT-9750PAINT	Metallic Black	1	400ml	Varde	All
LT-9755PAINT	Light Cast Grey	1	400ml	Varde	All
YEOMAN AEROSOL SPRAY PAINT					
2019-1	Matt Black	1	400ml	Yeoman	AYM10000 - 29999
2019-6	Matt Black	6	400ml	Yeoman	AYM10000 - 29999
2019	Matt Black	12	400ml	Yeoman	AYM10000 - 29999
2019BL	Metallic Blue	6	400ml	Yeoman	All
2019BR	Metallic Brown	6	400ml	Yeoman	All
2019GR	Metallic Green	6	400ml	Yeoman	All
2105-1	Matt Black	1	400ml	Yeoman	AYM30000 onwards
RVAC011	Metallic Black	1	150ml	Yeoman CL	Prefixed CCL or AYM or DYM 00001 - 04999
2000-1	Metallic Black	1	400ml	Yeoman CL	Prefixed CCL or AYM or DYM 05000 to CCL29999
2105-1	Matt Black	1	400ml	Yeoman CL	Prefixed CCL or AYM or DYM 30000 onwards
BRUSH ON DOVRE PAINT					
DV-PAINT/E2	Ivory Enamel	1	15ml	Dovre Stoves (250, 280 & 425)	All
DV-PAINT/E3	Laurel Green Enamel	1	15ml	Dovre Stoves (250, 280 & 425)	All
DV-PAINT/E4	Black Enamel	1	15ml	Dovre Stoves (250, 280 & 425)	All
DV-PAINT/E5	Midnight Blue Enamel	1	15ml	Dovre Stoves (250, 280 & 425)	All
DV-PAINT/E6	Majolica Brown Enamel	1	15ml	Dovre Stoves (250, 280 & 425)	All
DV-PAINT/E10	Gloss Black Enamel	1	15ml	Dovre Sense Stoves	All
DV-PAINT/E12	Pure White Enamel	1	15ml	Dovre Sense Stoves	All
DV-PAINT/E8	White Enamel	1	15ml	Dovre Vintage Stoves	All
DV-PAINT/E14	Grey Enamel	1	15ml	Dovre Vintage & Sense Stoves	All
BRUSH ON LOTUS PAINT					
LT-9761PAINT	Phantom Grey	1	15ml	Lotus Living Stoves	All
LT-9762PAINT	Ice Metallic	1	15ml	Lotus Living Stoves	All
LT-9763PAINT	Alpina White	1	15ml	Lotus Living Stoves	All
LT-9764PAINT	Magic Black	1	15ml	Lotus Living Stoves	All

Cleaning and maintenance products

Slate Dressing



Code	Size & Quantity
4109-6	500ml x 6

Fire Cement- 500g & 5kg tub

Black. Fire resistant up to 1250°C



Code	Size & Quantity
2020	500g x 12
2020-6	500g x 6
2024	5kg x 1

Limestone Cleaner Spray



Code	Size & Quantity
5034-6	500ml x 6

Fire Cement - 600g Cartridge



Code	Size & Quantity
2021-6	600g x 6
2021	600g x 12

Stove Glass Cleaner Spray

Suitable for all stove glass.



Code	Size & Quantity
4103-6	500ml x 6

Protector - 1kg tub

Reduces the build-up of creosote in chimneys caused by burning wood. Reduces the risk of chimney fires



Code	Size & Quantity
7025	1kg x 6
7025-1	1kg x 1

Stove Glass Cleaner - Wipe-On

Please Note: Not to be used on printed glass.



Code	Size & Quantity
4111-6	500ml x 6

Protector - Sachets



Code	Size & Quantity
7002-6	Pack (15 sachets) x 6



STOVAX
Fire Your Imagination



How to clean your stove or fire glass video

To help keep your appliance looking and performing at its best, we have created a series of useful videos to guide you through a range of topics from general advice, such as how to identify good firewood, to more specific tasks such as our useful glass cleaning video.

Please visit our dedicated site, www.stovax.tv and enter the video code **V0001**.

Top tip: If your stove glass is printed, be sure to select the spray cleaner and not the wipe-on!



Traditional Black Grate Polish

Wax-based graphite polish, giving a brilliant silver-black finish to cast iron stoves and fireplaces.



Product Code	Size and Quantity
4110-12	75ml x 12
4110-6	75ml x 6

Colloidal Black Stove Dressing

Water-based graphite coating for matt black stoves and fireplaces.



Product Code	Size and Quantity
7000-6	100ml x 6

Motorised Ashclean



Code	Description
2091	Motorised Ashclean



Cleaning and maintenance products

Shovel



Code	Size
4054	102mm (4")
4055	127mm (5")

Shovel



Code	Size
4056	200mm (8")

Steel Boiler Brush



Code	Size
4232	765mm (30")

Brush Head



Code	Size & Quantity
4041	50mm (2")

Stovax Heat Resistant Leather Gloves



STOVAX
Fire Your Imagination

Code
4008

Stovax Extra Long Leather Gloves



STOVAX
Fire Your Imagination

Code
4027

Yeoman Heat Resistant Leather Gloves



Yeoman
A NATURAL WARMTH

Code
YM-E0007

Smoke Pellets



Code	Quantity
4176	10 pellets



Canvas Wood Sling



Code
3048

Carbon Monoxide Detector

Easy to install & no maintenance required. Battery pre-fitted and guaranteed for 6 years




Code
3045

Rectangular Ashpan




Code	Width (W)	Height (H)	Depth (D)
4129	383mm (15")	51mm (2")	287mm (11 1/4")
4130	325mm (12 1/4")	51mm (2")	264mm (10 3/8")
4131	303mm (11 7/8")	51mm (2")	194mm (7 5/8")
4132	223mm (8 3/4")	51mm (2")	178mm (7")
4133	252mm (9 7/8")	51mm (2")	159mm (6 1/4")
4214	338mm (13 1/4")	51mm (2")	232mm (9 1/8")
4215	268mm (10 1/2")	51mm (2")	227mm (9")

Milner Ashpan



Code	Milner Size	Front Width (FW)	Back Width (BW)	Height (H)	Depth (D)
4342	16"	332mm (13")	230mm (9")	51mm (2")	178mm (7")
4343	18"	382mm (15")	255mm (10")	51mm (2")	178mm (7")

Ash Caddies



Code	Width (W)	Height (H)	Depth (D)
4227	382mm (15")	102mm (4")	306mm (12")
4228	446mm (17 1/2")	102mm (4")	306mm (12")
4229	382mm (15")	102mm (4")	459mm (18")
4230	637mm (25")	127mm (5")	408mm (16")
4231	306mm (12")	178mm (7")	459mm (18")



Fibreglass Insulation Tape



White Tape

Code	Measurements
4254	40mm x 2mm x 25m

Black Tape

Code	Measurements
4955	10mm x 2mm x 25m
4957	15mm x 2mm x 25m

Self-adhesive White Tape

Code	Measurements
4299	25mm x 3mm x 25m
4197	40mm x 2mm x 25m

Self-adhesive Black Tape

Code	Measurements
4953	10mm x 2mm x 25m
4954	15mm x 2mm x 25m
4997	20mm x 2mm x 25m



Stovax Riva 50 with 4 sided standard Profil frame in Jet Black Metallic

Fibreglass Rope Seal



Standard Rope Seal - White

Code	Measurements
4660	3mm ø x 25m
4693	5mm ø x 25m
4019	6mm ø x 25m
4970	8mm ø x 25m
4020	9mm ø x 25m
4991	10mm ø x 25m
4021	12mm ø x 25m
4094	25mm ø x 10m
4096	16mm ø x 20m

Standard Rope Seal - Black

Code	Measurements
4974	3mm ø x 25m
4977	6mm ø x 25m
4980	8mm ø x 25m
4994	10mm ø x 25m
4983	12mm ø x 25m
4671	16mm ø x 20m
4692	18mm ø x 20m
4672	25mm ø x 10m

Soft Rope Seal - White

Code	Measurements
4959	4mm ø x 25m
4961	6mm ø x 25m
4963	8mm ø x 25m
4965	10mm ø x 25m

Soft Rope Seal - Black

Code	Measurements
4670	14mm ø x 25m
4198	16mm ø x 25m
4200	13mm ø x 25m
4203	16mm x 10mm x 25m [◊]
4205	10mm x 25mm x 25m*

[◊] Square section rope
*P' profile rope seal pack

Ceramic Fibre Sealing Strip



White - Rolls

Code	Measurements
4093	10mm x 4mm x 10m
4471	6mm x 3mm x 10m

White - Packs

Code	Measurements
7022	10mm x 4mm x 2m
7023	6mm x 3mm x 2m

Rope Seal Packs (Includes glue & rope seal end tape)



Standard Rope Seal - White

Code	Measurements
7019	3mm \varnothing x 2m
7020	6mm \varnothing x 2m
4971	8mm \varnothing x 2m
7021	9mm \varnothing x 2m
4992	10mm \varnothing x 2m
7024	12mm \varnothing x 2m
5001	16mm \varnothing x 2m

Standard Rope Seal - Black

Code	Measurements
4975	3mm \varnothing x 2m
4978	6mm \varnothing x 2m
4981	8mm \varnothing x 2m
4995	10mm \varnothing x 2m
4984	12mm \varnothing x 2m

Soft Rope Seal - White

Code	Measurements
4945	4mm \varnothing x 2m
4946	6mm \varnothing x 2m
4947	8mm \varnothing x 2m
4948	10mm \varnothing x 2m

*'P' profile rope seal pack

Soft Rope Seal - Black

Code	Measurements
5000	14mm \varnothing x 2m
5700	13mm \varnothing x 2m
5701	16mm \varnothing x 2m
5702	13mm x 2.6m
5703	10mm x 750mm*
5704	13mm \varnothing x 3.5m

Fibreglass Insulation Tape Pack



Black Tape

Code	Measurements
4951	10mm x 2m
4952	15mm x 2m

Self-adhesive Black Tape

Code	Measurements
4949	10mm x 2mm x 2m
4950	15mm x 2mm x 2m
4998	20mm x 2mm x 2m
5705	40mm x 2mm x 3.4m

Thermic Seal



Code Size & Quantity

5037	50ml x 12
------	-----------




STOVAX
Fire Your Imagination

How to re-rope your door seal video

A thermal rope is used to provide a heat resistant air tight seal on the appliance doors and also is often used to provide a seal for the stove or fire glass, essential to ensure your appliance works as intended and with optimum efficiency. Stovax have created a useful step by step video to help lead you through the simple maintenance task of re-ropeing a door seal, simply visit www.stovax.tv and enter the video code **V0008**.

Top tip: To allow your rope adhesive time to properly cure, leave it a minimum of 12 hours before burning your appliance.



Replacement Stove Glass

We stock replacement glass for the full range of Stovax and Gazco stoves alongside a wide selection of stove glass for other branded models. Please refer to the Stovax Accessories price list for details.

5mm Ceramic Glass Panels



Chimney Rods and Brushes

Uni Rod

UNI rods need adaptor 4034 and must always be rotated clockwise to avoid disconnection.



Code	Measurement
4036	915mm (36")

Lockfast Rod

LOCKFAST rods need adaptor 4035 and can be rotated in either direction



Code	Measurement
4037	915mm (36")

Adaptors



Code	Description
4034	UNI (left)
4035	LOCKFAST (right)

Steel Brush Head 5 - 8"



Code	Measurements
4171	125mm (5")
4172	150mm (6")
4173	175mm (7")
4174	200mm (8")

Polypropylene Brush Head 5 - 8"



Code	Measurements
4030	125mm (5")
4031	150mm (6")
4032	175mm (7")
4033	200mm (8")

Polypropylene Brush Head - 12" & 16"



Code	Measurements
4039	305mm (12")
4038	405mm (16")



Chimney systems and flue pipe accessories

Flue Dampers



Code	Width
3068	100mm (4")
3060	125mm (5")
3061	150mm (6")
3062	175mm (7")
3063	200mm (8")

Flue Collars



Code	Width
2038	125mm (5")
2039	150mm (6")
2040	175mm (7")
2041	200mm (8")

Magnetic Flue Pipe Thermometer



Code
3046

Louved Vent



Brass



Polished Steel




White



Brushed Steel

Code	Finish	Width	Height	Ventilation Area
4234	Brass	241mm (9½")	89mm (3½")	39.7cm sq (6 ¾" sq)
5047	Polished Steel	241mm (9½")	89mm (3½")	39.7cm sq (6 ¾" sq)
5048	Brushed Steel	241mm (9½")	89mm (3½")	39.7cm sq (6 ¾" sq)
5050	White	241mm (9½")	89mm (3½")	39.7cm sq (6 ¾" sq)


Plain Vent - Brass



Code	Finish	Width	Height	Ventilation Area
4126	Brass	241mm (9½")	89mm (3½")	49.8cm sq (7 ⅞" sq)

Hit and Miss Vent - Brass

Please Note: Cannot be used as an approved Document J vent.



Code	Finish	Width	Height	Ventilation Area
4124	Brass	241mm (9½")	89mm (3½")	37.4cm sq (5¾" sq)
4125	Brass	241mm (9½")	165mm (6½")	64.5cm sq (10" sq)





Stockton 11 Cook Stove in Matt Black, double door with optional warming shelves. Shown with Stovax Magnetic Flue Pipe Thermometer.

Professional XQ™

Stove & Fireplace Chimney Systems

Stovax also offer a comprehensive range of stove & fireplace chimney systems, the Stovax Professional XQ™ collection. These comprise an extensive selection of vitreous enamelled single skin flue pipe, alongside our high-quality twin wall chimney system components crafted from 304L grade stainless steel for a durable outer finish. The fully sealed twin wall components offer water tight protection for the insulation within.

With innovative decorative options, the ability to specify a colour for your system and with a host of technical advancements such as their Twist-Lock system, the Professional XQ™ range provides an attractive, versatile and reliable solution for your flue system.

Furthermore, the Professional XQ™ range carries a 10 Year Extended Warranty offering complete peace of mind.

All of the Professional XQ™ range is set out in a separate brochure, which can be downloaded from www.stovax.com/brochures.

Stovax offers 4 standard powder coating colours. For internal twin wall components, Textured Matt Black; and for external components, Satin Black, Gloss Black and Satin White. However, all external parts can be powder coated to any colour in the RAL range. For example:



RAL is a European colour matching system mainly used for paint and powder coating.



Rain cowls



Storm collars



Flashings



Elbows



Flue Enclosure



Floor & Ceiling Ventilated Plates & Shields



Straight lengths



Enamelled flue pipes


10
YEAR
EXTENDED
WARRANTY



WIDE RANGE
OF ENAMELLED
FLUE PIPE



EXTENSIVE
COLOUR
RANGE



For further information or to request a brochure, simply contact your local retailer or visit www.stovax.com/chimneysystems, alternatively you can scan this QR code.



UltraGlo ceramic fibre 'fuels'

Large Ripped Coals



Code	Quantity
4010	Pack of 10

Small Ripped Coals



Code	Quantity
4012	Pack of 15

Large Moulded Coals



Code	Quantity
5002	Pack of 10

Small Moulded Coals



Code	Quantity
5003	Pack of 15

Large Log



Code	Quantity
4014	Pack of 1

Medium Logs



Code	Quantity
4015	Pack of 2

Small Logs



Code	Quantity
4016	Pack of 2

Large Driftwood



Code	Quantity
5010	Pack of 1

Medium Driftwood



Code	Quantity
5009	Pack of 1

Small Driftwood



Code	Quantity
5008	Pack of 3

Pine Cones



Code	Quantity
5012	Pack of 2

Large
Pebbles - Grey



Code	Quantity
5005	Pack of 10

Small
Pebbles - Grey



Code	Quantity
5007	Pack of 10

Fire screens and fenders

Glass Straight Fire Screens*



Code	Width	Height
GSFL22	560mm (22")	588mm (23")
GSFL26	660mm (26")	508mm (20")
GSFL30	760mm (30")	588mm (23")

*Do not place within 300mm (12") of fire where temperature exceeds 200°C

Black Steel Fire Screens



Code	Width	Height	Depth
3008 (1 handle)	673mm (26 ½")	495mm (19 ½")	152mm (6")
3009 (2 handles)	767mm (30 ¼")	508mm (20")	152mm (6")

Glass Curved Fire Screens*



Code	Width	Height	Depth
GSCU22	570mm (22 ½")	500mm (20")	110mm (4")
GSCU26	670mm (26 ¼")	500mm (20")	150mm (6")
GSCU30	770mm (30 ¼")	500mm (20")	160mm (6 ¼")

* Do not place within 300mm (12") of fire where temperature exceeds 200°C

Black Steel Fire Screens



Code	Width	Height	Depth
3019 (curved)	535mm (21")	605mm (23 ¾")	203mm (8")
3020 (with handle)	565mm (22 ¼")	613mm (24 ½")	127mm (5")

Black Steel Fire Screens



Code	Width	Height
3900	560mm (22")	610mm (24")
3901	610mm (24")	610mm (24")
3902	660mm (26")	610mm (24")
3903	710mm (28")	610mm (24")
3904	760mm (30")	660mm (26")

Black Steel Fire Screens



Code	Width	Height	Side Panel Width
3910	560mm (22")	610mm (24")	180mm (7")
3911	610mm (24")	610mm (24")	180mm (7")
3912	660mm (26")	610mm (24")	180mm (7")
3913	710mm (28")	610mm (24")	180mm (7")
3914	760mm (30")	660mm (26")	180mm (7")

Black Steel Fire Screens




Code	Width	Height
3920	560mm (22")	500mm (19 ½")
3921	660mm (26")	500mm (19 ½")
3922	760mm (26")	590mm (23 ½")



Fire screens and fenders

Wrought Iron Fire Screen



Code	Width	Height	Side Panel Width
5313	560mm (22")	610mm (24")	200mm (7 7/8")
5315	760mm (30")	610mm (24")	200mm (7 7/8")

Wrought Iron Fire Screen



Code	Width	Height
5311	660mm (26")	610mm (24")

Brass Plated Steel/Black Fire Screen



Code	Width	Height	Side Panel Width
3052	662mm (26")	622mm (24 1/2")	331mm (13")

Brass Plated Steel/Black Fire Screen



Code	Width	Height
3275	203mm (8")	546mm (21 1/2")
3007	331mm (13")	826mm (32 1/2")

HearthGate

HearthGate - 5 piece



Code

5038-2* Suitable for areas 1780 x 610mm (70" x 21")

Additional pair of 305mm (12") sections



Code

5042-2*

Additional pair of wall fittings



Code

5040B-2*



*Please note: The design of the HearthGate has been updated and is not compatible with earlier versions

Stovax Huntingdon 30 stove with 5 Piece HearthGate (5038-2) in situ



Traditional fire tools, scuttles and pails

Ring Top Wrought Iron Fire Dog - Pair



Code	Width	Height	Depth
5305	250mm (9 7/8")	430mm (16 7/8")	230mm (9")

Four Tool Wrought Iron Bracket



Code	Width	Height
5303	390mm (15 3/8")	120mm (4 3/4")

Four Piece Wrought Iron With Wood Handle Tool Set



Code	Height
5018	790mm (31")

Four Piece Black & Brass Tool Sets



Code	Height
5217	545mm (21 1/2")

Four Piece Brass Tool Set



Code	Height
5218	686mm (27")

Four Piece Brass Tool Sets



Code	Height
4241	450mm (17 3/4")

Large Black Pail



Code	Width	Height
5210	460mm (18 1/8")	335mm (13 1/8")

Black/Brass Scuttle



Code	Width	Height
4049	287mm (11 1/4")	306mm (12")

Wrought Iron Match Box Holder



Code	Height
5028	255mm (10")

Suitable for match boxes sized:
235 x 90 x 30mm (L x W x D)

Contemporary fire tools and sets

Poker



Code	Height
5450	610mm (24")

Brush



Code	Height
5451	610mm (24")

Shovel



Code	Height
5452	610mm (24")

Rake



Code	Height
5453	610mm (24")

Scraper



Code	Height
5455	610mm (24")

Straight Stand & Three Piece Toolset



Stand Only

Code	Width	Height	Depth
5461	205mm (8 1/16")	675mm (26 3/16")	200mm (7 7/8")

Stand with 3 piece tool set

Code	Width	Height	Depth
5466	205mm (8 1/16")	675mm (26 3/16")	200mm (7 7/8")

Bevelled Stand & Three Piece Toolset



Stand Only

Code	Width	Height	Depth
5460	205mm (8 1/16")	675mm (26 3/16")	200mm (7 7/8")

Stand with 3 piece tool set

Code	Width	Height	Depth
5465	205mm (8 1/16")	675mm (26 3/16")	200mm (7 7/8")

4 Pin Wall Bracket



Code	Width	Height
5464	340mm (13 3/8")	50mm (2")

3 Pin Wall Bracket



Code	Width	Height
5463	255mm (10 1/16")	50mm (2")

2 Pin Wall Bracket



Code	Width	Height
5462	170mm (10 11/16")	50mm (2")



Ironworks fire tools and sets

Loop Handle Tools and Sets



Shovels

Code	Height
5523	457mm (18")
5528	660mm (26")

Tongs

Code	Height
5524	457mm (18")
5529	660mm (26")

Standard Brushes

Code	Height
5522	457mm (18")
5527	660mm (26")

Rustic Brush

Code	Height
5541	660mm (26")

Pokers

Code	Height
5521	457mm (18")
5526	660mm (26")

Code	26" Tool Set Contents
5525	5526 + 5527 + 5528 + 5529
5525B	5526 + 5528 + 5529 + 5541

Shovel - Ring Handle



Code	Height
5538	660mm (26")
5533	457mm (18")

Standard Brush - Ring Handle



Code	Height
5532	457mm (18")

Rustic Brush - Ring Handle




Code	Height
5542	457mm (18")

Stovax are proud to be the exclusive distributor for Pilgrim Hearth Tools for the UK and Republic of Ireland. Pilgrim is the leading manufacturer of quality Fireplace Accessories in the USA, and this collection, wrought from solid steel and iron, clearly demonstrates the quality of craftsmanship that is synonymous with Pilgrim accessories. In addition, an exceptional 2 year warranty is offered on all products within the Pilgrim collection.




Fire Screen and Tools



Code	Width	Height	Depth
5604	1219mm (48")	813mm (32")	229mm (9")

Portfolio Bowed Fire Screen



Code	Width	Height	Depth
5603	991mm (39")	787mm (31")	165mm (6½")

Craftsmen Hearth Centre



Code	Size (w x h x d)
5624	368 x 737 x 330mm (14½ x 29 x 13")

Vintage Iron Single Tools (30")



Code		Height
5610	Brush	762mm (30")
5613	Tong	762mm (30")
5611	Poker	762mm (30")
5612	Shovel	762mm (30")

Colonial Andirons



Code	Size (w x h x d)
5625	279 x 432 x 356mm (11 x 17 x 14")

Log holders

Black Log Holders

Code	Width	Height	Depth
3404 (Highline)	300mm (12")	1000mm (39 3/8")	300mm (12")
3403 (Medium)	300mm (12")	750mm (29 1/2")	300mm (12")
3402 (Small)	300mm (12")	500mm (19 5/8")	300mm (12")



Curved Black Log Holder - Small



Code	Width	Height	Depth
3400	444mm (17 1/2")	209mm (8 1/4")	300mm (12")

Curved Black Log Holder - Large



Code	Width	Height	Depth
3405	888mm (34 7/8")	209mm (8 1/4")	300mm (12")



Stovax Studio 500 Freestanding on Riva 100
Low Bench shown with Medium Black Log Holder (3403)

Radius Black Log Holder - Small



Code	Width	Height	Depth
3406	658mm (25 7/8")	118mm (4 5/8")	420mm (16 1/2")

Radius Black Log Holder - Large



Code	Width	Height	Depth
3407	900mm (35 3/8")	118mm (4 5/8")	420mm (16 1/2")

Triangular Black Log Holder



Code	Width	Height	Depth
3401	424mm (16 5/8")	242mm (9 1/2")	300mm (12")

Wrought Iron Log Holder



Code	Width	Height	Depth
5308	873mm (34 3/8")	665mm (26 1/8")	400mm (15 3/4")



STOVAX
Fire Your Imagination

How to identify good firewood video

To ensure your stove or fire provides optimum heating performance, only seasoned logs with a low moisture content should be burnt. Logs should be seasoned for at least two years or more to achieve a moisture content below 20%, which can be easily checked with a moisture meter. Seasoned wood will not only provide a higher heat output than that of freshly felled timber, it avoids a build-up of tar in your flue and ensures low smoke emissions with clean and crisp flame visuals.

When purchasing firewood for your appliance, look for Woodsure certified logs, for peace of mind you are buying seasoned wood. If you are sourcing logs yourself, view our essential guide to finding the right type of firewood to burn in your appliance, and the best way in which to store it, at www.stovax.tv with the video code **V0005**.



Fire backs and grates

Victorian with grate - Matt Black



Code	W	D	GW	GD
3217	546mm (21 1/2")	210mm (8 1/4")	410mm (16 1/8")	140mm (5 1/2")

Victorian (no grate) - Matt Black



Code	W	DF
3217NG	546mm (21 1/2")	133mm (5 1/4")

Cromwell



Code	Width	Height	Depth
3056 (Small)	390mm (15 3/8")	150mm (6")	250mm (9 3/4")
3057 (Large)	485mm (19 1/4")	150mm (6")	280mm (11")

Accessories

Ashpan	Small 4132	Large 4131
--------	------------	------------

Riva



Code	Width	Height	Depth
8686 (16")	325mm (12 3/4")	174mm (6 7/8")	269mm (10 1/2")
8687 (22")	480mm (18 7/8")	184mm (7 1/4")	269mm (10 1/2")
8688 (26")	580mm (22 7/8")	184mm (7 1/4")	269mm (10 1/2")

Spanish - Matt Black



Code	Width	Height	Depth
3058 (Small)	447mm (17 5/8")	235mm (9 1/4")	318mm (12 1/2")
3059 (Large)	525mm (20 3/4")	235mm (9 1/4")	369mm (14 1/2")

Accessories

Ashpan	Small 4130	Large 4129
Ashpan Cover	Small 3156	Large 3157

Stool Grates



Code	GW	GD
4403	385mm (15 1/4")	273mm (10 3/4")


Code	GW	GD
4404	420mm (16 1/2")	273mm (10 3/4")

Milner Grates



Code	GW	GD
4368	385mm (15 1/4")	260mm (10 1/4")

Code	GW	GD
4908	385mm (15 1/4")	244mm (9 5/8")



Art Deco



Code	Width	Height	Depth
Matt Black			
B.77715 (15")	395mm (15½")	305mm (12")	280mm (11")
Highlight Polished			
B.77715P (15")	395mm (15½")	305mm (12")	280mm (11")
B.77718P (18")	520mm (20½")	395mm (15½")	330mm (13")
Accessories			
Ashpan	15" SPAN15	18" SPAN18	
Ashpan Cover	15" SPACPAD15	18" SPACPAD	

Amhurst



Code	Width	Height	Depth
Matt Black			
B.75415 (15")	395mm (15½")	330mm (13")	275mm (10¾")
B.75418 (18")	520mm (20½")	330mm (13")	280mm (11")
Highlight Polished			
B.75415P (15")	395mm (15½")	330mm (13")	275mm (10¾")
B.75418P (18")	520mm (20½")	330mm (13")	280mm (11")
Accessories			
Ashpan	15" SPAN15	18" SPAN18	
Ashpan Cover	15" SPACPAM15	18" SPACPAM	

Amhurst fire basket in Matt Black with Belgravia London front in Matt Black and Polished Insert Panel.



Fire backs and grates

Milan



Code	Width	Height	Depth
Polished			
B.75515P* (15")	601mm (23 $\frac{5}{8}$ ")	305mm (12")	378mm (14 $\frac{7}{8}$ ")
B.75518P* (18")	727mm (28 $\frac{5}{8}$ ")	305mm (12")	378mm (14 $\frac{7}{8}$ ")

Accessories			
Ashpan	15" SPAN15	18" SPAN18	

*Ashpan cover included



Ball Top Wrought Iron Andiron Set



Code	Width	Height	Depth
5307	225mm (8 $\frac{7}{8}$ ")	300mm (11 $\frac{7}{8}$ ")	400mm (15 $\frac{3}{4}$ ")



Swans Nest fire grate shown with Ball Top Wrought Iron Andiron Set

Square Top Wrought Iron Andiron Set



Code	Width	Height	Depth
5306	225mm (8 $\frac{7}{8}$ ")	300mm (11 $\frac{7}{8}$ ")	400mm (15 $\frac{3}{4}$ ")

Georgian Brass Andiron Set



Code	Width	Height	Depth
3138	254mm (10")	375mm (14 $\frac{3}{4}$ ")	457mm (18")

Fireplaces for all interiors

Whether you want to restore a period house to its former glory, or create an authentic look for a modern home, let Stovax's Classic Fireplaces inspire you.

We also pride ourselves on the fact that each remains an individual masterpiece, hand-cast to the same specification as Georgian and Victorian originals, and extensively finished to display a wealth of intricate detail.

Alternatively, we also offer fireplaces with the most up-to-date design to complement modern interiors. In several cases, Stovax

have added a 21st Century slant to the design to make them even more appropriate to today's homes and lifestyles.

For further information or to request a brochure, simply contact your local retailer or visit www.stovax.com.



Details on the full range of products available and brochure PDF's can be found at the websites detailed above. Alternatively, you can scan this QR code or visit www.stovax.com to view our whole range of brochures.



